铝合金推拉–折叠门
Fold and slide for aluminium doors

推拉–折叠门系列五金件：

- 开启面大，视野开阔，无限美景尽收眼底
- 操作自如，开闭简便，舒适生活尽在滑动间
- 密封性好，防尘防噪，远离凡尘另辟世外桃源

Fold and slide for doors hardware

- Large open and wide visual field, bracing unlimited beautiful sights
- Free operation and easy close and open, enjoying comfortable life during the sliding
- Good tightness, anti–dust and anti–noise, keeping away from the ordinary world and let your dream come true

SIEGENIA AUBI®
SOLUTIONS INSIDE

配置方案



SIEGENIA AUBI®
SOLUTIONS INSIDE

FS–PORTAL LM

铝合金推拉–折叠门五金件





SIEGENIA AUBI®

SOLUTIONS INSIDE

铝合金推拉–折叠门
Folding and slide for aluminium doors

	门(door)	
扇宽(sash width)（mm）	330–900	——（外框out frame）
扇高(sash height)（mm）	850–2400	——（外框out frame）
扇重(sash weight)（kg）	最大（MAX.）80	最大(Max.)200
扇框复合处厚度(over rebate thickness)(mm)	10–16	
防腐试验标准(corrosion test standard)	DIN 50021 SS	
气密性试验标准(gap test standard)	DIN EN 12207	
水密性试验标准(water tightness standard)	DIN EN 12208	
防盗等级(security class)	标准型(standard maodel)	

	图号（drawing number）	名称（number）	标号（standard number）（黑棕色）	数量（件、套）/方案														适用标准 suitable standaed		备注（remarks）
				321	330	431		541		550	532	651		633	761		770	743	扇宽 (mm) sash width	框宽 (mm) frame width	
常用部件（often used parts）	1–5	FSLM 扇合页组合节点 B	120903	1	1	1		2		2	2	2		2	3		3	3	——	——	颜色可选（color selectable）
	1–14	FSLMD 滑轮组合 节点 C	120965	—	1	1		1		2	1	2		2	2		3	2	——	——	
	10,11 15–18	FSLM 滑轮组合 节点 D	120934	1	—	—		1		—	1	—		—	1		—	1	——	——	
	19–23	FS 滑轨组合（适配）	120798	1	1	1		1		1	1	1		1	1		1	1	–2500	——	颜色可选（color selectable）
			120811																2501–3500	——	
			120835																3501–4500	——	
			120859																4501–6500	——	
	24	Si–line LM 执手 (handle)	253113	2	2	3		3		3	3	4		4	4		4	4	——	——	颜色可选（color selectable）
				D	DK		D	DK	D	DK			D	DK		D	DK		——	——	
	25–34	BS LM4200 合叶侧组合 节点 A	246924	2		1	2		2		1	2	2		2	2		1	2	——	——	
	35	LM 4200–D 上拉杆	255773	2	1	1	2	1	2	1	1	2	2	1	2	2	1	1	2	——	——	
		LM 4200–DK 斜拉杆 (tilt stay)	857090	—	1	—	—	1	—	1	—	—	—	1	—	—	1	—	—	——	——	
	36–41	VS LM–D/FS	218815	2	1	2	3	2	3	2	3	3	4	3	4	4	3	4	4	——	——	
	未图示	VS LM 4200–DK(/ A0102)	857007（862254）	—	1	—	—	1	—	1	—	—	—	1	—	—	1	—	—	——	——	
	42–43	MS LM–D VS/BS	857052	2	1	1	2	1	2	1	1	2	2	1	2	2	1	1	2	——	1250–2400	
	未图示	MS LM 4200–DK VSU/BSO	857045	—	1	—	—	1	—	1	—	—	—	1	—	—	1	—	—	——	1250–2401	

此表仅供参考，不作正式配置使用(Only used conference)